

# Screws



[www.neiafasteners.com](http://www.neiafasteners.com)  
E-Mail: [orders@neiafasteners.com](mailto:orders@neiafasteners.com)  
1-800-782-6342

8530 "K" Street  
Omaha, NE 68127  
**Phone:** (402) 592-4988  
**Fax:** (402) 592-9271

905 East Kansas Ave.  
Arkansas City, KS 67005  
**Phone:** (620) 442-7526  
**Fax:** (620) 442-7583



[www.nfc-usa.com](http://www.nfc-usa.com)  
E-Mail: [orders@nfc-usa.com](mailto:orders@nfc-usa.com)  
1-800-786-4658

1817 Jasper Street  
Kansas City, MO 64116  
**Phone:** (816) 221-8885  
**Fax:** (816) 472-5555

2335 B-104 E. Chestnut Expwy.  
Springfield, MO 65802  
**Phone:** (417) 865-6246  
**Fax:** (417) 865-0596

# Table of Contents

## Categorized Listing

<b>Screws</b>	<b>1</b>	<b>SELF DRILLING SCREWS</b>	<b>6</b>
<b>ACCESSORIES</b>	<b>19</b>	Indented Hex Washer Head	6
4-in-1 Screw Driver	19	Hex Indented Washer Head	7
Magnetic Hex Driver	19	With Neoprene Washer	7
Phillips Bits	20	Phillips Modified Truss Head	8
Quick Change Magnetic Bit Holder	19	Phillips Oval Head Black	8
Slotted Bits	20	With Free Spinning Washer	8
Spanner Bits	19	Phillips Pan Head Zinc	8
Square Drive Bit	20	Phillips Oval Head Zinc	8
Square Recess	20	Square Drive Pan Head	8
Torx-Pin Bits	19	Wall Liner Screw Zinc	8
Tamper Proof	19	Zinc Yellow Plated	8
<b>CONSTRUCTION SCREWS</b>	<b>9</b>	Wing Tek	8
Coarse Drywall Screw	9	<b>TAPPING SCREWS</b>	<b>1</b>
Hex Head Slotted Tapmark Screw	9	Hex Head Zinc	5
Phillips Bugle Head Drywall Screw	9	With Attached Washer Head	5
Torx Head Multi-purpose Screw	9	Phillips Flat Head Zinc	4
Woodex Square Drive Screw	9	Phillips Oval Head Black	3
<b>FLOOR SCREWS</b>	<b>10</b>	Phillips Oval Head Chrome	3
Torx Drive Flat Head	10	Phillips Oval Head Zinc	2
Torx Drive Pan Head	10	Phillips Pan Head Zinc	1
Torx Drive Truss Head	10	Phillips Pan Head Black	1
<b>PLATED LAG SCREWS</b>	<b>17</b>	Phillips Truss Head Zinc	4
Hex Head	17	Phillips Washer Head Black	3
Shields	17	Rapid Penetrating Screws	5
<b>PLATED MACHINE SCREWS</b>	<b>11</b>	Slotted Hex Washer Head	5
Hex Head	13	Truss Washer Head	5
K-Lok Nuts	16	Sems Flush Phillips Washer Head Black	5
Machine Nuts	16	Sems Phillips Washer Head Black	5
Phillips Flat Head	14	Sems Washer Head Chrome	5
Phillips Oval Head	15	Slotted Hex Head Zinc	4
Phillips Pan Head	13	Slotted Pan Head Zinc	2
Phillips Truss Head	13	Black	1
Black Oxide	13	Square Pan Head	1
Slotted Flat Head	14	Torx Drive Truss Head Zinc	4
Slotted Oval Head	15	<b>TYPE F THREAD CUTTING SCREWS</b>	<b>10</b>
Slotted Pan Head	12	Hex Head Washer	10
Slotted Round Head	11	Slotted Pan Head	10
Slotted Truss Head	13	Phillips Pan Head	10
Type P Plated Thumb Screw	15	<b>WASHER</b>	<b>7</b>
Type S Plated Thumb Screw	15	Neoprene (Bonded)	7
		<b>PLATED WOOD SCREWS</b>	<b>18</b>
		Slotted Flat Head	18
		Phillips Flat Head	18
		Slotted Round Head	18

# Table of Contents

## Alphabetized Listing

<b>1</b>		Phillips Truss Head Black	13
	1/4" Hex Shank Phillips-Slotted Combo Bit	Phillips Truss Head Zinc	4
<b>4</b>		Phillips Truss Washer Head Zinc	5
	4-in-1 Screwdriver	Plated Machine Screws	11-15
<b>A</b>		Plated Wood Screws	18
	Accessories		19-20
<b>B</b>		<b>Q</b>	
	Black Oxide	Quick Change Magnetic Bit Holder	19
	Black Phosphate		
<b>C</b>		<b>R</b>	
	Construction Screws	Rapid Penetrating Screws	5
<b>F</b>		Rapid Penetrating Screws and Floor Screws	5
	Floor Screws		
<b>G</b>		<b>S</b>	
	Grade 5 Flat Washers	SAE/UNF	16
<b>H</b>		SCREWS	1-20
	Hex Head	Self Drilling Screws	6-8
	Hex Head Slotted Tapmark Screw	Sems Flush Phillips Washer Head Black	5
	Hex Head with Attached Washer	Sems Phillips Washer Head Black	5
	Hex Head Zinc	Sems Phillips Washer Head Chrome	5
	Hex Head Zinc Plated Lag Screw	Slotted Flat Head	14, 18
	Hex Indented Washer Head	Slotted Hex Head Zinc	4
	Hex Washer Head	Slotted Hex Washer Head Zinc	5
<b>I</b>		Slotted Oval Head	15
	Indented Hex Head with Neoprene Washer	Slotted Pan Head	10, 12
	Indented Hex Washer Head	Slotted Pan Head Zinc	2
<b>K</b>		Slotted Round Head	11-12, 18
	K Lock Nuts	Slotted Truss Head	13
<b>L</b>		Spanner Bits	19
	Lag Shields	Square Drive Pan Head	8
	Liner Screws Zinc Yellow Plated	Square Drive Screw Bit	20
<b>M</b>		Square Pan Head Zinc	1
	Machine Nuts	Square Recess Power Bits	20
	Machine Nuts and Plated Lag Screws		
	Magnetic Bit Holder	<b>T</b>	
	Magnetic Hex Driver	Tamper Proof	19
<b>N</b>		Tapping Screws	1-5
	Neoprene Washers	Torx Bits	19
	NUTS	Torx Drive Flat Head	10
<b>P</b>		Torx Drive Pan Head	10
	Phillips and Slotted Bits	Torx Drive Truss Head	4
	Phillips Bugle Head Drywall Screw	Torx Head Multi-Purpose Screw	9
	Phillips Coarse Drywall Screw	Type F Thread Cutting Screws	10
	Phillips Flat Head	Type P Plated Thumb Screw	15
	Phillips Flat Head Deck Wood Screw	Type S Plated Thumb Screw	15
	Phillips Flat Head Tapmark		
	Phillips Flat Head Zinc	<b>W</b>	
	Phillips Flat Top Washer Head Black	Wall Liner Zinc	8
	Phillips Modified Truss Black	Washers	7
	Phillips Modified Truss Head	Washers and Nuts	16
	Phillips Oval Head	Wing Tek Zinc	8
	Phillips Oval Head Black	With Free Spinning Washer	8
	Phillips Oval Head Chrome	Woodex Square Drive Screw	9
	Phillips Oval Head Zinc		
	Phillips Pan Head	<b>Z</b>	
	Phillips Pan Head Black	Zinc	8
	Phillips Pan Head Zinc	Zinc Plated	4, 10
	Phillips Truss Head		

# Notes

---

NEB II  
FAS

Nati

NEB II  
FAS



Corporation

# Tapping Screws

## Phillips Pan Head Zinc



Item ID	Diameter	Length
82120	4	1/4
82121	4	3/8
82122	4	1/2
82130	6	1/4
82131	6	3/8
82132	6	1/2
82133	6	5/8
82134	6	3/4
82136	6	1
82137	6	1-1/4
82138	6	1-1/2
82140	6	2
82145	8	3/8
82146	8	1/2
82147	8	5/8
82148	8	3/4
82149	8	7/8
82150	8	1
82151	8	1-1/4
82152	8	1-1/2
82153	8	1-3/4
82154	8	2
82156	8	2-1/2
82158	8	3
82160	10	3/8
82161	10	1/2
82162	10	5/8
82163	10	3/4
82164	10	7/8
82165	10	1
82166	10	1-1/4
82167	10	1-1/2
82168	10	1-3/4
82169	10	2
82175	12	1/2
82176	12	5/8
82177	12	3/4
82179	12	1
82180	12	1-1/4
82181	12	1-1/2
82182	12	1-3/4
82183	12	2
82185	12	2-1/2
82190	14	1/2
82191	14	5/8
82192	14	3/4
82193	14	1
82194	14	1-1/4

Item ID	Diameter	Length
82195	14	1-1/2
82196	14	1-3/4
82197	14	2
82198	14	2-1/2
82199	14	3

## Square Pan Head Zinc



Item ID	Diameter	Length
82814	8	1/2
82815	8	5/8
82816	8	3/4
82817	8	1
82819	8	1-1/2
82821	8	2
82823	8	2-1/2
82825	8	3
82828	10	1/2
82830	10	3/4
82832	10	1

## Phillips Pan Head Black



Item ID	Diameter	Length
82515	6	1/2
82516	6	3/4
82517	6	1
82518	6	1-1/4
82525	8	1/2
82526	8	3/4
82527	8	1
82528	8	1-1/4
82529	8	1-1/2
82535	10	1/2
82536	10	3/4
82537	10	1
82538	10	1-1/4

# Tapping Screws

## Slotted Pan Head Zinc



Item ID	Diameter	Length
82010	4	1/4
82011	4	3/8
82012	4	1/2
82013	4	5/8
82014	4	3/4
82020	6	1/4
82021	6	3/8
82022	6	1/2
82023	6	5/8
82024	6	3/4
82026	6	1
82027	6	1-1/4
82028	6	1-1/2
82045	8	1/4
82046	8	3/8
82047	8	1/2
82048	8	5/8
82049	8	3/4
82050	8	7/8
82051	8	1
82052	8	1-1/4
82053	8	1-1/2
82054	8	1-3/4
82055	8	2
82060	10	1/4
82061	10	3/8
82062	10	1/2
82063	10	5/8
82064	10	3/4
82065	10	7/8
82066	10	1
82067	10	1-1/4
82068	10	1-1/2
82069	10	1-3/4
82070	10	2
82072	10	2-1/2
82073	10	3
82075	12	3/8
82076	12	1/2
82077	12	5/8
82078	12	3/4
82079	12	7/8
82080	12	1
82081	12	1-1/4
82082	12	1-1/2
82083	12	1-3/4

Item ID	Diameter	Length
82084	12	2
82085	12	2-1/2
82089	14	3/8
82090	14	1/2
82091	14	5/8
82092	14	3/4
82093	14	7/8
82094	14	1
82095	14	1-1/4
82096	14	1-1/2
82097	14	1-3/4
82098	14	2
82099	14	2-1/2
82100	14	3

## Phillips Oval Head Zinc



Item ID	Diameter	Length	Head Size
82301	10	1-1/2	#8
82302	10	1-1/2	#10
82305	10	1-3/4	#10
82307	10	2	#8
82308	10	2	#10
82313	10	2-1/2	#10
82327	12	1/2	#12
82332	12	3/4	#10
82333	12	3/4	#12
82339	12	1	#12
82340	12	1-1/4	#8
82341	12	1-1/4	#12
82343	12	1-1/2	#10
82344	12	1-1/2	#12
82345	12	1-3/4	#8
82349	12	2	#12
82355	14	1/2	#10
82357	14	1/2	#14
82359	14	5/8	#12
82360	14	5/8	#14
82364	14	7/8	#12
82368	14	1	#14
82371	14	1-1/2	#10
82374	14	1-3/4	#10

# Tapping Screws

## Phillips Oval Head Chrome



Item ID	Diameter	Length	Head Size
82201	4	3/8	#4
82202	4	1/2	#4
82204	4	3/4	#4
82205	4	7/8	#8
82210	6	3/8	#4
82211	6	1/2	#6
82212	6	5/8	#6
82213	6	3/4	#6
82215	6	1	#6
82217	6	1-1/4	#6
82220	8	3/8	#6
82221	8	3/8	#8
82222	8	1/2	#6
82223	8	1/2	#8
82224	8	5/8	#6
82225	8	5/8	#8
82226	8	3/4	#6
82227	8	3/4	#8
82228	8	7/8	#6
82229	8	7/8	#8
82230	8	1	#6
82231	8	1	#8
82232	8	1-1/8	#6
82234	8	1-1/8	#8
82235	8	1-1/4	#6
82236	8	1-1/4	#8
82237	8	1-1/2	#6
82239	8	1-1/2	#8
82240	8	1-3/4	#6
82278	10	1/2	#6
82279	10	1/2	#8
82280	10	1/2	#10
82281	10	5/8	#6
82282	10	5/8	#8
82284	10	3/4	#6
82285	10	3/4	#8
82286	10	3/4	#10
82290	10	1	#6
82291	10	1	#8
82292	10	1	#10
82293	10	1-1/8	#10
82294	10	1-1/4	#6
82296	10	1-1/4	#8
82297	10	1-1/4	#10
82300	10	1-1/2	#6
82303	10	1-3/4	#6

## Phillips Oval Head Black



Item ID	Diameter	Length	Head Size
82421	6	1/2	#6
82422	6	3/4	#6
82423	6	1	#6
82424	6	1-1/4	#6
82425	8	1/2	#6
82426	8	1/2	#8
82427	8	3/4	#6
82428	8	3/4	#8
82429	8	1	#6
82430	8	1	#8
82431	8	1-1/4	#6
82432	8	1-1/4	#8
82433	8	1-1/2	#6
82434	8	1-1/2	#8
82440	10	1/2	#10
82441	10	1/2	#8
82442	10	3/4	#8
82443	10	3/4	#10
82444	10	1	#8
82445	10	1	#10
82446	10	1-1/4	#8
82447	10	1-1/4	#10
82448	10	1-1/2	#8
82449	10	1-1/2	#10

## Phillips Flat Top Washer Head Black




Item ID	Diameter	Length
51757	10	1/2
82610	8	1/2
82612	8	5/8
82613	8	3/4
82615	8	1
82616	8	1-1/4
82617	8	1-1/2
82619	10	3/4
82620	10	1
82621	10	1-1/4

# Tapping Screws


## Torx Drive Truss Head

Zinc Plated




Item ID	Diameter	Length	Torx Size
88584	1/4	1-1/2	T-30
88588	1/4	2	T-30
88594	1/4	2-1/2	T-30

## Phillips Truss Head Zinc



Item ID	Diameter	Length
82681	10	1/2
82682	10	3/4

## Phillips Flat Head Zinc



Item ID	Diameter	Length
83348	6	5/8
83349	8	5/8
83354	6	1/2
83355	6	3/4
83356	6	1
83357	6	1-1/2
83358	8	1/2
83359	8	3/4
83360	8	1
83361	8	1-1/4
83362	8	1-1/2
83363	8	1-3/4
83364	8	2
83365	8	3
83366	10	3/4
83367	10	1
83368	10	1-1/4
83369	10	1-1/2
83375	10	1/2
83376	12	1/2
83377	12	3/4
83378	12	1
83381	12	2
83382	14	1/2
83383	14	3/4
83390	14	2-1/2

## Slotted Hex Head Zinc



- Indented Hex Head
- Washer Face

Item ID	Diameter	Length	Hex Size
83001	6	1/2	1/4
83002	6	5/8	1/4
83003	6	3/4	1/4
83005	6	1	1/4
83007	6	1-1/2	1/4
83009	8	3/8	1/4
83010	8	1/2	1/4
83011	8	5/8	1/4
83012	8	3/4	1/4
83014	8	1	1/4
83015	8	1-1/4	1/4
83016	8	1-1/2	1/4
83017	8	2	1/4
83019	10	3/8	5/16
83020	10	1/2	5/16
83021	10	5/8	5/16
83022	10	3/4	5/16
83024	10	1	5/16
83025	10	1-1/4	5/16
83026	10	1-1/2	5/16
83027	10	2	5/16
83030	12	1/2	5/16
83031	12	5/8	5/16
83032	12	3/4	5/16
83034	12	1	5/16
83035	12	1-1/4	5/16
83036	12	1-1/2	5/16
83037	12	2	5/16
83040	14	1/2	3/8
83042	14	3/4	3/8
83044	14	1	3/8
83045	14	1-1/4	3/8
83046	14	1-1/2	3/8
83047	14	2	3/8



# Tapping Screws

## Hex Head with Attached Washer



Item ID	Diameter	Length	Hex Size
83060	8	1/2	1/4
83062	8	3/4	1/4
83064	8	1	1/4
83065	8	1-1/4	1/4
83066	8	1-1/2	1/4
83070	10	1/2	5/16
83072	10	3/4	5/16
83074	10	1	5/16
83075	10	1-1/4	5/16
83076	10	1-1/2	5/16
83080	12	1/2	5/16
83082	12	3/4	5/16
83084	12	1	5/16
83085	12	1-1/4	5/16
83086	12	1-1/2	5/16
83090	14	1/2	3/8
83092	14	3/4	3/8
83094	14	1	3/8
83095	14	1-1/4	3/8
83096	14	1-1/2	3/8
83100	5/16	3/4	7/16
83102	5/16	1	7/16
83103	5/16	1-1/4	7/16
83104	5/16	1-1/2	7/16

## Sems Phillips Washer Head Chrome



Item ID	Diameter	Length
82710	8	5/8
82711	8	3/4
82713	8	1
82715	8	1-1/2
82720	10	3/4
82722	10	1
82724	10	1-1/4

## Sems Phillips Washer Head Black



Item ID	Diameter	Length
82750	8	5/8
82751	8	3/4
82753	8	1
82754	8	1-1/4
82760	10	3/4
82762	10	1

## Sems Flush Phillips Washer Head Black



Item ID	Diameter	Length
82790	8	1/2
82791	8	5/8
82792	8	11/16
82793	8	1
82794	8	1-1/4

## Hex Head Zinc



\*Hex Size Varies

Item ID	Diameter	Length	Hex Size
82950	1/4	1/2	*3/8-7/16
82952	1/4	3/4	*3/8-7/16
82954	1/4	1	*3/8-7/16
82955	1/4	1-1/4	*3/8-7/16
82956	1/4	1-1/2	*3/8-7/16
82958	1/4	2	*3/8-7/16
82965	5/16	3/4	1/2
82967	5/16	1	1/2
82968	5/16	1-1/4	1/2
82969	5/16	1-1/2	1/2
82971	5/16	2	1/2
82980	3/8	3/4	9/16
82982	3/8	1	9/16
82983	3/8	1-1/4	9/16
82984	3/8	1-1/2	9/16
82986	3/8	2	9/16

## Rapid Penetrating Screws

### Phillips Truss Washer Head Zinc



Item ID	Size	Hex Size
88371	8x1/2	8

### Slotted Hex Washer Head Zinc



Item ID	Size	Hex Size
88381	7x1/2	1/4

# Self Drilling Screws

## Indented Hex Washer Head



Item ID	Diameter	Length	Hex Size	Finish
83210	6	1	1/4	Zinc
83215	8	1/2	1/4	Zinc
83217	8	3/4	1/4	Zinc
83219	8	1	1/4	Zinc
83221	8	1-1/4	1/4	Zinc
83223	8	1-1/2	1/4	Zinc
83225	10	1/2	5/16	Climaseal Finish
83226	10	3/4	5/16	Climaseal Finish
83226Z	10	3/4	5/16	Zinc
83228	10	1	5/16	Climaseal Finish
83228Z	10	1	5/16	Zinc
83229	10	1-1/4	5/16	Climaseal Finish
83229Z	10	1-1/4	5/16	Zinc
83231	10	1-1/2	5/16	Climaseal Finish
83231Z	10	1-1/2	5/16	Zinc
83233	10	2	5/16	Zinc
83235	12	3/4	5/16	Climaseal Finish
83235Z	12	3/4	5/16	Zinc
83237	12	1	5/16	Climaseal Finish
83237Z	12	1	5/16	Zinc
83238	12	1-1/4	5/16	Climaseal Finish
83238Z	12	1-1/4	5/16	Zinc
83239	12	1-1/2	5/16	Climaseal Finish
83241	12	2	5/16	Climaseal Finish
83242	12	2-1/2	5/16	Zinc
83250	14	3/4	3/8	Climaseal Finish
83250Z	14	3/4	3/8	Zinc
83252	14	1	3/8	Climaseal Finish
83252Z	14	1	3/8	Zinc
83253	14	1	7/16	Climaseal Finish
83254	14	1-1/4	3/8	Climaseal Finish
83255	14	1-1/2	3/8	Climaseal Finish
83255Z	14	1-1/2	3/8	Zinc
83256	14	2	3/8	Climaseal Finish
83258	14	2-1/2	3/8	Climaseal Finish
83260	14	3	3/8	Climaseal Finish
83262	14	4	3/8	Zinc

NEBRASKA-IOWA  
INDUSTRIAL  
FASTENERS CORP.

# Self Drilling Screws

## Hex Indented Washer Head



- Self Drilling Point
- Fine Thread
- Long Point

Item ID	Diameter	Length	Hex Size	Point Size	Finish
83265	12-24	1-1/4	5/16	4.5	Climaseal Finish
83266	12-24	1-1/2	5/16	5	Zinc
83267	12-24	2	5/16	5	Zinc

## Indented Hex Head with Neoprene Washer



Item ID	Diameter	Length	Hex Size	Finish
83314	10	3/4	5/16	Climaseal Finish
83315	10	1	5/16	Zinc
83323	12	3/4	5/16	Climaseal Finish
83325	12	1	5/16	Climaseal Finish
83326	12	1-1/4	5/16	Climaseal Finish
83327	12	1-1/2	5/16	Climaseal Finish
83329	12	2	5/16	Climaseal Finish
83331	12	2-1/2	5/16	Zinc
83335	14	3/4	3/8	Climaseal Finish
83336	14	7/8	3/8	Climaseal Finish
83337	14	1	3/8	Climaseal Finish
83338	14	1-1/4	3/8	Climaseal Finish
83339	14	1-1/2	3/8	Climaseal Finish
83340	14	3	3/8	Climaseal Finish

## Bonded Neoprene Washer



- Galvanized

Item ID	Screw Size	Outside Diameter
83341	#8 - #10	1/2
83342	#12 - #14	5/8
83346	5/16	3/4
83347	3/8	3/4

# Self Drilling Screws

## Phillips Oval Head Black With Free Spinning Washer



Item ID	Diameter	Length
82780	8	5/8
82781	8	3/4
82783	8	1

## Phillips Oval Head Zinc



Item ID	Diameter	Length
83353	8	1-1/4

## Phillips Pan Head Zinc



Item ID	Diameter	Length
83164	6	3/4
83166	6	1
83174	8	1/2
83176	8	3/4
83178	8	1
83180	8	1-1/2
83184	10	1/2
83188	10	3/4
83190	10	1
83192	10	1-1/2
83195	12	3/4
83196	12	1
83202	14	3/4

## Phillips Modified Truss Head Zinc



Item ID	Diameter	Length
83344	8	1/2
83302	8	3/4
83305	8	1
83307	8	1-1/4

## Phillips Modified Truss Black



Item ID	Diameter	Length
51759	8	1/2
83304	8	3/4
83306	8	1
83308	8	1-1/4

## Square Drive Pan Head



Item ID	Dia	Length	Drive Type	Bit Size
83176SQ	8	3/4	Square	#2
83178SQ	8	1	Square	#2
83179SQ	8	1-1/4	Square	#2

## Liner Screws Zinc Yellow Plated



Item ID	Diameter	Length	Head Style
83311	10-16	3/4	Phillips Wafer
83312	10-16	1	Phillips Wafer
83313	10-16	1-1/4	Phillips Wafer

## Wafer Head Self Drilling Screws- Zinc



Item ID	Dia	Length	Drive Type	Bit Size
83345	10	1	Phillips	
83350	10	1	Torx	T-25
83351	10	1-1/4	Torx	T-25
83352	10	1-1/2	Torx	T-25

## Phillips Flat Head Wing Tek Screw



Item ID	Diameter	Length	Finish
83397	1/4-20	2-3/4	Zinc
83398	1/4-20	3	Climaseal

# Construction Screws

## Phillips Flat Head Deck Wood Screw



- Mechanically Galvanized

Item ID	Diameter	Length
88310	6	1-1/4
88312	6	1-5/8
88318	8	2-1/2
88320	8	3

## Phillips Bugle Head Fine Thread Drywall Screw



Item ID	Diameter	Length
88340	6	1
88342	6	1-1/4
88346	6	2
88350	8	3

## Phillips Bugle Head Coarse Thread Drywall Screw



Item ID	Diameter	Length
88341	6	1
88351	6	1-1/4
88343	6	1-1/2
88345	6	1-5/8
88352	6	2-1/2
88347	8	2-1/2
88349	8	3

## Torx Head Multi-Purpose Screw



- Self-Tapping and Countersunk Head

Item ID	Dia	Length	Drive Type	Bit Size
88170	8	1	Torx	T-15
88171	8	1-1/2	Torx	T-15
88172	9	2	Torx	T-25
88173	9	2-1/2	Torx	T-25
88174	9	3	Torx	T-25

## Hex Head Slotted Tapmark Screw



- 5/16" Hex Head, for use in Concrete
- 3/16" Tapmarks take 5/32" Carbide Tipped Masonry Drill Bit
- 1/4" Tapmarks take 3/16" Carbide Tipped Masonry Drill Bit

Item ID	Diameter	Length
88328	3/16	1-1/4
88329	3/16	1-3/4
88330	3/16	2-1/4
88332	1/4	1-1/4
88333	1/4	1-3/4
88334	1/4	2-1/4
88336	1/4	2-3/4
88337	1/4	3-1/4

## Phillips Flat Head Tapmark Screw



Item ID	Diameter	Length
88322	3/16	1-1/4
88323	3/16	1-3/4
88324	3/16	2-1/4
88325	1/4	1-1/4
88326	1/4	1-3/4
88327	1/4	2-1/4

# Type F Thread Cutting Screws

## Hex Washer Head



Item ID	Diameter	Length	Hex Size
83415	6-32	1/4	1/4
83417	6-32	1/2	1/4
83419	6-32	3/4	1/4
83421	6-32	1	1/4
83429	8-32	3/8	1/4
83430	8-32	1/2	1/4
83432	8-32	3/4	1/4
83434	8-32	1	1/4
83439	10-24	3/8	5/16
83440	10-24	1/2	5/16
83442	10-24	3/4	5/16
83444	10-24	1	5/16
83450	12-24	1/2	5/16
83452	12-24	3/4	5/16
83454	12-24	1	5/16
83460	1/4-20	1/2	3/8
83461	1/4-20	5/8	3/8
83462	1/4-20	3/4	3/8
83464	1/4-20	1	3/8
83465	1/4-20	1-1/4	3/8
83470	5/16	1/2	1/2
83472	5/16	3/4	1/2
83474	5/16	1	1/2
83475	5/16	1-1/4	1/2
83480	3/8-16	3/4	9/16
83482	3/8-16	1	9/16
83483	3/8-16	1-1/4	9/16
83484	3/8-16	1-1/2	9/16

## Phillips Flat Head



Item ID	Diameter	Length
83410	1/4-20	3/4

## Phillips Pan Head



Item ID	Diameter	Length
83497	8-32	1/4
83498	8-32	3/8
83499	8-32	1/2
83610	10-24	1
83611	10-24	1-1/4
83612	10-24	1-1/2

## Slotted Pan Head



Item ID	Diameter	Length
83485	6-32	1/4
83486	6-32	1/2
83487	6-32	7/8
83488	6-32	1
83489	8-32	1/2
83490	8-32	3/4
83491	10-24	1/2
83492	10-24	3/4
83493	10-24	1
83494	1/4-20	3/4
83495	1/4-20	1

## Torx Drive Flat Head

Black Phosphate



Item ID	Diameter	Length	Torx Size
88509	1/4-20	1	T-30
88510	1/4-20	1-1/4	T-30
88511	1/4-20	1-1/2	T-30
88513	1/4-20	2	T-30
88514	1/4-20	2-1/4	T-30
88515	1/4-20	2-1/2	T-30
88517	1/4-20	3	T-30
88519	1/4-20	3-1/2	T-30
88521	1/4-20	4	T-30
88522	1/4-20	4-1/2	T-30
88523	1/4-20	5	T-30
88525	1/4-20	6	T-30
88534	5/16-18	1-1/4	T-40
88536	5/16-18	2	T-40
88538	5/16-18	2-1/2	T-40
88540	5/16-18	3	T-40

## Torx Drive Pan Head

Zinc Plated



Item ID	Diameter	Length	Torx Size
88548	1/4-20	1	T-30
88550	1/4-20	1-1/2	T-30
88554	1/4-20	2	T-30
88559	5/16-18	1	T-40
88560	5/16-18	1-1/4	T-40
88562	5/16-18	2	T-40
88564	5/16-18	2-1/2	T-40

# Plated Machine Screws

## Slotted Round Head



Item ID	Diameter	Length
85002	2-56	1/4
85003	2-56	3/8
85004	2-56	1/2
85005	2-56	5/8
85015	3-48	1/4
85016	3-48	3/8
85017	3-48	1/2
85019	3-48	3/4
85030	4-36	1/2
85042	4-40	1/4
85043	4-40	5/16
85044	4-40	3/8
85046	4-40	1/2
85047	4-40	5/8
85048	4-40	3/4
85050	4-40	1
85061	5-40	3/16
85062	5-40	1/4
85064	5-40	3/8
85066	5-40	1/2
85068	5-40	3/4
85082	6-32	1/4
85084	6-32	3/8
85086	6-32	1/2
85087	6-32	5/8
85088	6-32	3/4
85091	6-32	1
85093	6-32	1-1/4
85094	6-32	1-1/2
85096	6-32	2
85100	6-32	3
85102	6-32	4
85110	8-32	1/4
85113	8-32	3/8
85115	8-32	1/2
85117	8-32	3/4
85119	8-32	1
85121	8-32	1-1/4
85122	8-32	1-1/2
85124	8-32	2
85126	8-32	2-1/2
85127	8-32	2-3/4
85128	8-32	3
85141	10-24	1/4
85143	10-24	3/8
85145	10-24	1/2
85147	10-24	3/4
85149	10-24	1

Item ID	Diameter	Length
85151	10-24	1-1/4
85152	10-24	1-1/2
85154	10-24	2
85155	10-24	2-1/4
85156	10-24	2-1/2
85158	10-24	3
85160	10-24	3-1/2
85161	10-24	4
85164	10-24	5
85167	10-24	6
85171	10-32	1/4
85173	10-32	3/8
85175	10-32	1/2
85177	10-32	3/4
85179	10-32	1
85181	10-32	1-1/4
85182	10-32	1-1/2
85183	10-32	1-3/4
85184	10-32	2
85186	10-32	2-1/2
85188	10-32	3
85205	12-24	1/2
85207	12-24	3/4
85209	12-24	1
85211	12-24	1-1/4
85212	12-24	1-1/2
85213	12-24	2
85228	1/4-20	3/8
85229	1/4-20	1/2
85231	1/4-20	3/4
85233	1/4-20	1
85235	1/4-20	1-1/4
85236	1/4-20	1-1/2
85237	1/4-20	1-3/4
85238	1/4-20	2
85239	1/4-20	2-1/4
85240	1/4-20	2-1/2
85242	1/4-20	3
85244	1/4-20	3-1/2
85245	1/4-20	4
85247	1/4-20	5
85249	1/4-20	6
85257	5/16-18	1/2
85258	5/16-18	3/4
85260	5/16-18	1
85262	5/16-18	1-1/4
85263	5/16-18	1-1/2
85265	5/16-18	2
85267	5/16-18	2-1/2
85269	5/16-18	3
85270	5/16-18	3-1/2
85271	5/16-18	4
85273	5/16-18	5

# Plated Machine Screws

## Slotted Round Head

Item ID	Diameter	Length
85275	5/16-18	6
85280	3/8-16	1/2
85282	3/8-16	3/4
85283	3/8-16	1
85284	3/8-16	1-1/4
85285	3/8-16	1-1/2
85286	3/8-116	1-3/4
85287	3/8-16	2
85288	3/8-16	2-1/2
85289	3/8-16	3
85290	3/8-16	3-1/2
85291	3/8-16	4
85293	3/8-16	5
85295	3/8-16	6
85310	1/2-13	4
85314	1/2-13	6

## Slotted Pan Head



Item ID	Diameter	Length
85371	4-40	1/8
85372	4-40	1/4
85373	4-40	3/8
85375	4-40	3/4
85382	6-32	1/4
85384	6-32	3/8
85386	6-32	1/2
85387	6-32	5/8
85388	6-32	3/4
85391	6-32	1
85392	6-32	1-1/4
85410	8-32	3/16
85411	8-32	1/4
85413	8-32	3/8
85415	8-32	1/2
85416	8-32	5/8
85417	8-32	3/4
85419	8-32	1
85420	8-32	1-1/4
85441	10-24	1/4
85443	10-24	3/8
85445	10-24	1/2
85447	10-24	3/4
85449	10-24	1
85450	10-24	1-1/4
85471	10-32	1/4
85472	10-32	5/16

Item ID	Diameter	Length
85473	10-32	3/8
85475	10-32	1/2
85476	10-32	5/8
85477	10-32	3/4
85479	10-32	1
85480	10-32	1-1/4
85482	1/4-20	3/8
85483	1/4-20	1/2
85484	1/4-20	3/4
85485	1/4-20	1
85486	1/4-20	1-1/4

## Phillips Pan Head



Item ID	Diameter	Length
85601	6-32	1/4
85602	6-32	3/8
85605	6-32	1/2
85607	6-32	3/4
85608	6-32	1
85609	6-32	1-1/4
85610	6-32	1-1/2
85611	8-32	1/4
85612	6-32	2
85613	8-32	3/8
85614	6-32	2-1/2
85615	8-32	1/2
85616	8-32	5/8
85617	8-32	3/4
85618	6-32	3
85619	8-32	1
85620	8-32	1-1/4
85621	8-32	1-1/2
85622	8-32	2
85623	8-32	2-1/2
85624	8-32	3
85625	8-32	4
85640	10-24	3/8
85641	10-24	1/2
85643	10-24	3/4
85645	10-24	1
85646	10-24	1-1/4
85647	10-24	1-1/2
85648	10-24	2-1/2
85649	10-24	2
85650	10-24	3
85651	10-32	1/4
85652	10-32	3/8
85653	10-32	1/2
85654	10-32	3/4



# Plated Machine Screws

## Phillips Pan Head

Item ID	Diameter	Length
85655	10-32	1
85656	10-24	4
85657	10-32	1-1/2
85659	10-32	2
85660	10-32	2-1/2
85662	10-32	4
85665	12-24	1/2
85669	12-24	3/4
85670	12-24	1
85672	12-24	1-1/4
85673	12-24	1-1/2
85675	12-24	2
85728	1/4-20	3/8
85729	1/4-20	1/2
85731	1/4-20	3/4
85733	1/4-20	1
85735	1/4-20	1-1/4
85736	1/4-20	1-1/2
85737	1/4-20	2
85738	1/4-20	2-1/2
85739	1/4-20	3
85740	5/16-18	3/4
85741	1/4-20	3-1/2
85742	1/4-20	4
85743	5/16-18	1
85746	5/16-18	1-1/2

## Slotted Truss Head



Item ID	Diameter	Length
86123	5/8-11	1
86225	6-32	3
86227	6-32	4
86245	10-24	1/2
86247	10-24	3/4
86248	10-24	1
86252	10-24	1-1/2
86254	10-24	2
86256	10-32	2
86270	1/4-20	1/2
86271	1/4-20	5/8
86272	1/4-20	3/4
86274	1/4-20	1
86276	1/4-20	1-1/2
86279	5/16-18	1
86281	3/8-16	3/4
86282	3/8-16	1

## Hex Head



Item ID	Diameter	Length
84089	8-32	1/2
84090	8-32	3/4
84091	8-32	1
84092	8-32	1-1/4
84093	10-32	1/2
84094	10-24	1/2
84095	10-32	3/4
84096	10-24	3/4
84097	10-32	1
84098	10-24	1
84099	10-32	1-1/4
84100	10-32	1-1/2
84102	10-24	1-1/2

## Phillips Truss Head



Item ID	Diameter	Length
86355	10-24	1/2
86357	10-24	3/4
86358	10-24	1
86365	10-32	1/2
86367	10-32	3/4
86375	1/4-20	1/2
86376	1/4-20	3/4
86377	1/4-20	1

## Black Oxide



Item ID	Diameter	Length
86378	1/4-20	1
86384	10-32	1

# Plated Machine Screws

## Slotted Flat Head



Item ID	Diameter	Length
85883	6-32	1/4
85884	6-32	3/8
85886	6-32	1/2
85888	6-32	3/4
85891	6-32	1
85893	6-32	1-1/2
85894	6-32	2
85912	8-32	1/4
85913	8-32	3/8
85915	8-32	1/2
85917	8-32	3/4
85919	8-32	1
85921	8-32	1-1/4
85922	8-32	1-1/2
85945	10-24	1/2
85947	10-24	3/4
85949	10-24	1
85951	10-24	1-1/4
85952	10-24	1-1/2
85953	10-24	2
85972	10-32	1/4
85973	10-32	3/8
85975	10-32	1/2
85977	10-32	3/4
85979	10-32	1
85981	10-32	1-1/4
85982	10-32	1-1/2
85990	12-24	1/2
85992	12-24	3/4
85993	12-24	1
85994	12-24	1-1/4
86029	1/4-20	1/2
86031	1/4-20	3/4
86036	1/4-20	1
86037	1/4-20	1-1/4
86038	1/4-20	1-1/2
86040	1/4-20	2
86042	1/4-20	2-1/2
86043	1/4-20	3
86045	1/4-20	3-1/2
86056	5/16-18	1/2
86058	5/16-18	3/4
86060	5/16-18	1
86061	5/16-18	1-1/4
86063	5/16-18	1-1/2
86065	5/16-18	2

Item ID	Diameter	Length
86067	5/16-18	2-1/2
86069	5/16-18	3
86071	5/16-18	4
86080	3/8-16	1/2
86083	3/8-16	3/4
86084	3/8-16	1
86086	3/8-16	1-1/2
86088	3/8-16	2
86090	3/8-16	2-1/2
86092	3/8-16	3
86093	3/8-16	3-1/2
86102	1/2-13	1
86103	1/2-13	1-1/4
86104	1/2-13	1-1/2
86105	1/2-13	1-3/4
86106	1/2-13	2
86108	1/2-13	2-1/2
86110	1/2-13	3
86125	5/8-11	1-1/2
86127	5/8-11	2
86230	8-32	1/4

## Phillips Flat Head



Item ID	Diameter	Length
86601	6-32	1/2
86655	10-24	1
86605	6-32	1
86611	8-32	1/4
86613	8-32	3/8
86615	8-32	1/2
86616	8-32	5/8
86617	8-32	3/4
86619	8-32	1
86651	10-24	1/2
86653	10-24	1/2
86654	10-24	3/4
86655	10-24	1
86656	10-24	1-1/4
86657	10-24	1-1/2
86675	10-32	1/2
86677	10-32	3/4
86679	10-32	1
86682	10-32	1-1/2
85661	10-32	3
86731	1/4-20	3/4
86733	1/4-20	1
86735	1/4-20	1-1/4
86736	1/4-20	1-1/2

# Plated Machine Screws

## Phillips Oval Head



Item ID	Diameter	Length
86551	10-32	1-3/4
86552	10-32	2
86554	1/4-20	3/4
86555	1/4-20	1

Item ID	Diameter	Length
86385	4-40	1
86386	6-32	1/2
86388	6-32	3/4
86391	6-32	1
86392	6-32	1-1/4
86410	8-32	3/8
86411	8-32	1/2
86416	8-32	5/8
86417	8-32	3/4
86419	8-32	1
86422	8-32	1-1/2
86445	10-24	1/2
86447	10-24	3/4
86449	10-24	1
86451	10-24	1-1/2
86475	10-32	1/2
86477	10-32	3/4
86479	10-32	1
86480	10-32	1-1/4
86505	12-24	1/2
86507	12-24	3/4
86509	12-24	1
86511	12-24	1-1/2
86512	12-24	2
86530	1/4-20	1/2
86531	1/4-20	3/4
86533	1/4-20	1
86534	1/4-20	1-1/4
86535	1/4-20	1-1/2

## Type S Plated Thumb Screw



Item ID	Diameter	Length
86800	6-32	1/2
86803	6-32	3/4
86815	8-32	1/2
86818	8-32	3/4
86822	10-32	1/2
86824	10-32	3/4
86826	10-32	1
86830	1/4-20	1/2
86838	1/4-20	1
86850	5/16-18	3/4
86852	5/16-18	1
86854	5/16-18	1-1/2
86860	3/8-16	1
86864	3/8-16	1-1/2

## Type P Plated Thumb Screw



Item ID	Diameter	Length
86930	10-24	1/2
86933	10-24	3/4
86935	10-24	1
86940	1/4-20	1/2
86942	1/4-20	3/4
86944	1/4-20	1
86945	1/4-20	1-1/4
86946	1/4-20	1-1/2
86975	3/8-16	1
86977	3/8-16	1-1/2
86980	3/8-16	2

## Slotted Oval Head



Item ID	Diameter	Length
86540	8-32	1/2
86541	8-32	5/8
86542	8-32	3/4
86545	8-32	1-1/2
86547	8-32	2
86548	10-32	1/2
86549	10-32	3/4
86550	10-32	1-1/2

# Washers and Nuts

## Grade 5 Flat Washers

SAE/UNF



Zinc Plated Steel

Item ID	Bolt Size	Outside Diameter	Inside Diameter	Thickness	Approx Pcs Per Pound
94999	#2	7/32	3/32	.036/.065	2100
95000	#4	5/16	1/8	.036/.065	1650
95001	#6	3/8	5/32	.036/.065	790
95003	#8	7/16	3/16	.036/.065	600
95005	#10	1/2	7/32	.036/.065	435
95007	#12	9/16	1/4	.051/.080	362
95009	1/4	5/8	9/32	.051/.080	222

## K Lock Nuts



Item ID	Bolt Diameter
94750	6 - 32
94752	8 - 32
94754	10 - 24
94755	10 - 32
94756	1/4 - 20
94757	1/4 - 28
94758	5/16 - 18
94759	5/16 - 24
94760	3/8 - 16
94761	3/8 - 24

## Machine Nuts



Item ID	Bolt Size
87002	2-56
87004	3-48
87009	4-40
87011	5-40
87012	6-32
87014	8-32
87016	10-24
87017	10-32
87018	12-24
94500	1/4-20

# SCREWS

## Hex Head Zinc Plated Lag Screw



## Lag Shields



Item ID	Diameter	Length
88206	1/4	1
88208	1/4	1-1/2
88210	1/4	2
88212	1/4	2-1/2
88214	1/4	3
88216	1/4	3-1/2
88218	1/4	4
88219	1/4	4-1/2
88220	1/4	5
88223	5/16	1
88221	5/16	1-1/4
88224	5/16	1-1/2
88225	5/16	2
88227	5/16	2-1/2
88229	5/16	3
88231	5/16	3-1/2
88233	5/16	4
88234	5/16	4-1/2
88237	5/16	5
88243	3/8	1
88244	3/8	1-1/2
88245	3/8	2
88247	3/8	2-1/2
88249	3/8	3
88251	3/8	3-1/2
88253	3/8	4
88254	3/8	4-1/2
88257	3/8	5
88259	3/8	6
88266	3/8	8
88267	1/2	2
88269	1/2	3
88270	1/2	3-1/2
88273	1/2	4
88275	1/2	4-1/2
88277	1/2	5
88281	1/2	6
88286	1/2	10
88288	1/2	12

Item ID	Dia	Length	Drill Dia	Min Embed
88300	1/4	Short	1/2	1
88301	1/4	Long	1/2	1-1/2
88302	5/16	Short	1/2	1-1/4
88303	5/16	Long	1/2	1-3/4
88304	3/8	Short	5/8	1-3/4
88305	3/8	Long	5/8	2-1/2
88306	1/2	Short	3/4	2
88307	1/2	Long	3/4	3

## Plated Wood Screws

## Phillips Flat Head



Item ID	Diameter	Length
88097	6	1-1/4
88098	6	1-1/2
88099	6	2
88100	6	1/2
88101	6	3/4
88102	6	1
88103	8	1/2
88104	8	3/4
88105	8	1
88106	8	1-1/4
88107	8	1-1/2
88108	8	1-3/4
88109	8	2
88110	8	2-1/2
88111	8	3
88112	10	3/4
88113	10	1
88114	10	1-1/4
88115	10	1-1/2
88116	10	2
88117	10	2-1/2
88118	10	3
88119	12	1
88120	12	1-1/2
88121	12	2
88122	14	1-1/4
88123	14	1-1/2
88124	14	2
88125	8	5/8
88126	10	3-1/2
88127	12	4

Item ID	Diameter	Length
88138	10	1
88139	10	1-1/2
88140	10	2
88141	10	2-1/2
88142	10	3
88143	12	1-1/2
88144	14	1
88146	14	1-1/2
88148	14	2
88150	14	2-1/2
88152	14	3

## Slotted Flat Head



Item ID	Diameter	Length
88000	5	1/2
88001	5	3/4
88002	7	3/4
88003	7	1
88004	6	1/2
88005	6	3/4
88006	6	1
88009	8	1/2
88010	8	3/4
88012	8	1
88013	8	1-1/4
88014	8	1-1/2
88016	8	2
88020	10	3/4
88022	10	1
88023	10	1-1/4
88024	10	1-1/2
88026	10	2
88029	10	2-1/2
88030	12	3/4
88032	12	1
88034	12	1-1/2
88036	12	2
88038	12	2-1/2
88044	14	1
88045	14	1-1/4
88046	14	1-1/2
88048	14	2
88050	14	2-1/2
88052	14	3
88080	18	4

## Slotted Round Head



Item ID	Diameter	Length
88130	4	3/8
88131	6	3/4
88132	6	2-1/2
88133	8	5/8
88134	8	2
88135	8	2-1/2
88136	8	3
88137	10	1/2

# Accessories

## Magnetic Hex Driver



Item ID	Overall Length	Outside Diameter	Shank Size
83500	1-5/8	1/4	1/4
83501	1-5/8	5/16	1/4
83502	1-7/8	3/8	1/4
83503	2	7/16	1/4
83505	2-9/16	1/4	1/4
83506	2-9/16	5/16	1/4
83507	2-9/16	3/8	1/4
83508	2-9/16	7/16	1/4

## 1/4" Hex Shank Phillips-Slotted Combo Bit



Item ID	Overall Length
83555	1-1/2

## Torx Bits



Item ID	Point Size	Overall Length	Shank Size
88599	T-10	1	1/4
88600	T-15	1	1/4
88601	T-20	1	1/4
88602	T-25	1	1/4
88604	T-27	1	1/4
88608	T-30	1	1/4
88610	T-40	1	1/4
88612	T-40	1	5/16
88614	T-45	1	5/16
88616	T-50	1	5/16
88617	T-55	1	5/16

## Quick Change Magnetic Bit Holder



- Easy to Use – Push ahead the collar and insert to take out the bit
- Use with any standard 1/4" drive
- Industrial grade construction

Item ID	Outside Diameter	Overall Length
83550	9/16	2-1/8

## Magnetic Bit Holder



- For 1/4" Hex Insert Bits
- For Use in Drywall Drivers

Item ID	Overall Length	Hex Size	Shank Size
83552	2-7/8	1/4	1/4

## 4-in-1 Screwdriver



Item ID
88680

## Tamper Proof



Item ID	Point Size	Overall Length	Shank Size
88670	T10H	1	1/4
88671	T15H	1	1/4
88672	T20H	1	1/4
88673	T25	1	1/4

## Spanner Bits



Item ID	Point Size	Overall Length	Shank Size
88660	#8	1	1/4
88661	#10	1	1/4
88663	1/4	1-1/2	5/16

## Accessories

### Phillips and Slotted Bits



Item ID	Point Size	Overall Length	Shank Size	Style	Brand
83510	P-1	1	1/4	Phillips	
83511	P-2	1	1/4	Phillips	
83512	P-3	1	1/4	Phillips	
83515	#10	1-1/2	1/4	Slotted	
83516	#10	1	1/4	Slotted	
83519	P-2	1-15/16	1/4	Phillips	
83520	P-3	1-15/16	1/4	Phillips	
83524	P-2	6	1/4	Phillips	
83525	P-2	6	1/4	Phillips	Apex
83526	5/16	6	1/4	Slotted	

### Square Recess Power Bits



Item ID	Point Size	Overall Length	Shank Size
88641	1	1-15/16	1/4
88642	2	1-15/16	1/4
88643	3	1-15/16	1/4
88654	2	6	1/4

### Square Drive Screw Bit



Item ID	Point Size	Shank Size
88164	#2	1/4