

# Screws



[www.neiafasteners.com](http://www.neiafasteners.com)  
E-Mail: [orders@neiafasteners.com](mailto:orders@neiafasteners.com)  
1-800-782-6342

8530 "K" Street  
Omaha, NE 68127  
**Phone:** (402) 592-4988  
**Fax:** (402) 592-9271

905 East Kansas Ave.  
Arkansas City, KS 67005  
**Phone:** (620) 442-7526  
**Fax:** (620) 442-7583



[www.nfc-usa.com](http://www.nfc-usa.com)  
E-Mail: [orders@nfc-usa.com](mailto:orders@nfc-usa.com)  
1-800-786-4658

1817 Jasper Street  
Kansas City, MO 64116  
**Phone:** (816) 221-8885  
**Fax:** (816) 472-5555

2335 B-104 E. Chestnut Expwy.  
Springfield, MO 65802  
**Phone:** (417) 865-6246  
**Fax:** (417) 865-0596

# Table of Contents

## Categorized Listing

<b>SCREWS</b>	<b>1</b>		
<b>ACCESSORIES</b>	<b>16-17</b>	<b>TAPPING/SHEET METAL SCREWS</b>	<b>1-5</b>
4-N-1 Quick Change Screwdriver	17	Hex Head	4
Double End Phillips/Slotted Bit	16	Phillips Flat	3
Magnetic Bit Holder	17	Phillips Flat Top	3
Magnetic Nutsetter	17	Phillips Pan	1
Phillips Bits	16	Phillips Oval	2
Quick Change Magnetic Bit Holder	17	Phillips Oval SEMS	5
Slotted Bits	16	Phillips Truss	3
Spanner Bits	16	Slotted Pan	1
Square Bits	16	Square Pan	1
Star (Torx) Bits	16	Torx Truss	9
Star (Torx) Tamper Resistant Bits	16	<b>THREAD CUTTING SCREWS</b>	<b>9</b>
<b>CONSTRUCTION SCREWS</b>	<b>8</b>	Hex Washer	9
Concrete Tapper Screws	8	Phillips Pan	9
Deck Screws	8	Slotted Pan	9
Drywall Screws	8	Torx Flat (Floor Screws)	9
Multi Purpose Screws	8	Torx Pan	9
<b>LAG SCREWS &amp; SHIELDS</b>	<b>14</b>	<b>WOOD SCREWS</b>	<b>15</b>
<b>MACHINE SCREWS</b>	<b>10-13</b>	Phillips Flat	15
Hex Head	13	Slotted Flat	15
Phillips Flat	12	Slotted Round	15
Phillips Oval	13		
Phillips Pan	10		
Phillips Truss	10		
Slotted Flat	12		
Slotted Oval	13		
Slotted Pan	10		
Slotted Round	11		
Slotted Truss	10		
Thumb Screws	13		
<b>MISC HARDWARE</b>	<b>14</b>		
Nuts	14		
Washers	14		
<b>SELF DRILLING SCREWS</b>	<b>6-7</b>		
Bonded Neoprene Washer	6		
Indented Hex Washer Head	6		
Phillips Drive	7		
Square Drive	7		

# Tapping/Sheet Metal Screws

## Phillips Pan Head- Zinc



- Zinc Plated

Length	#4	#6	#8	#10	#12	#14
1/4	82120	82130				
3/8	82121	82131	82145	82160		
1/2	82122	82132	82146	82161	82175	82190
5/8		82133	82147	82162	82176	82191
3/4		82134	82148	82163	82177	82192
7/8			82149	82164		
1		82136	82150	82165	82179	82193
1-1/4		82137	82151	82166	82180	82194
1-1/2		82138	82152	82167	82181	82195
1-3/4			82153	82168	82182	82196
2			82154	82169	82183	82197
2-1/2			82156		82185	82198
3			82158			82199

## Slotted Pan Head- Zinc



- Zinc Plated

Length	#4	#6	#8	#10	#12	#14
1/4	82010	82020	82045	82060		
3/8	82011	82021	82046	82061	82075	82089
1/2	82012	82022	82047	82062	82076	82090
5/8	82013	82023	82048	82063	82077	82091
3/4	82014	82024	82049	82064	82078	82092
7/8			82050	82065	82079	82093
1		82026	82051	82066	82080	82094
1-1/4		82027	82052	82067	82081	82095
1-1/2		82028	82053	82068	82082	82096
1-3/4			82054	82069	82083	82097
2			82055	82070	82084	82098
2-1/2				82072	82085	82099
3				82073		82100

## Phillips Pan Head- 18-8 SS



- Stainless Steel

Length	#6	#8	#10	#12	#14
3/8	102999	103013	103026		
1/2	103000	103014	103027	103043	103053
5/8	103010	103015	103028		103054
3/4	103001	103016	103029		103055
7/8		103017			
1	103003	103018	103031	103045	103057
1-1/4	103004	103019	103032		103058
1-1/2	103005	103020	103033	103047	103059
2		103022	103035		103061

## Slotted Pan Head- 18-8 SS



- Stainless Steel

Length	#6	#8	#10	#12	#14
1/2	103200	103214	103227		
5/8	103201	103215			
3/4	103202	103216	103229		103256
1	103203	103218	103231	103245	103257
1-1/4	103204	103219	103232	103246	103258
1-1/2	103205	103220	103233	103247	103259
1-3/4			103234		
2			103235	103249	103261

## Phillips Pan Head- Black



- Black

Length	#6	#8	#10
1/2	82515	82525	82535
3/4	82516	82526	82536
1	82517	82527	82537
1-1/4	82518	82528	82538
1-1/2		82529	

## Square Pan Head- Zinc



- Zinc Plated

Length	#8	#10
1/2	82814	82828
5/8	82815	
3/4	82816	82830
1	82817	82832
1-1/2	82819	
2	82821	
2-1/2		
3	82825	

# Tapping/Sheet Metal Screws

## Phillips Oval Head- Zinc



- Zinc Plated

Lgth	#10	#12	#14
1/2		82327	82357
5/8			82360
3/4		82333	
1		82339	
1-1/4		82341	
1-1/2	82302	82344	
1-3/4	82305		
2	82308	82349	
2-1/2	82313		

## Phillips Oval Head- 18-8 SS



- Stainless Steel

Lgth	#6	#8	#10	#12	#14
3/8		103082			
1/2	103074	103084	103100	103112	
5/8		103085			
3/4	103076	103086	103102	103114	
7/8		103088			
1	103078	103090	103104	103116	
1-1/4	103079		103105		103132
1-1/2	103082	103094	103106	103118	103134
2-1/2			103110		

## Phillips Oval Head- Chrome



- Chrome

Lgth	#4	#6	#8 #6Hd	#8	#10 #6Hd	#10 #8Hd	#10
3/8			82220	82221			
1/2	82202	82211	82222	82223	82278	82279	82280
5/8		82212	82224	82225		82282	
3/4	82204	82213	82226	82227	82284	82285	82286
7/8			82228	82229			
1		82215	82230	82231	82290	82291	82292
1-1/4		82217	82235	82236	82294	82296	82297
1-1/2			82237	82239	82300		
1-3/4			82240		82303		

## Phillips Oval Head- Black



- Black

Lgth	#6	#8 #6Hd	#8	#10 #8Hd	#10
1/2	82421	82425	82426	82441	82440
3/4	82422	82427	82428	82442	82443
1	82423	82429	82430	82444	82445
1-1/4	82424	82431	82432	82446	82447
1-1/2		82433	82434	82448	82449

# Tapping/Sheet Metal Screws

## Phillips Flat Head- Zinc



- Zinc Plated

Length	#6	#8	#10	#12	#14
1/2	83354	83358	83375	83376	83382
5/8	83348	83349			
3/4	83355	83359	83366	83377	83383
1	83356	83360	83367	83378	
1-1/4		83361	83368		
1-1/2	83357		83369		
1-3/4		83363			
2		83364		83381	
2-1/2					83390
3		83365			

## Phillips Flat Head- 18-8 SS



- Stainless Steel

Length	#6
3/4	103144
1	103146

## Phillips Flat Top Washer Head- Black



- Black
- #8 has a 13/32 Washer OD
- #10 has a 15/32 Washer OD

Length	#8	#10
1/2	82610	
5/8	82612	
3/4	82613	82619
1	82615	82620
1-1/4	82616	82621
1-1/2	82617	

## Phillips Truss Head- Zinc



- Zinc Plated

Item ID	Diameter	Length
82681	10	1/2
82682	10	3/4

## Self-Piercing Phillips Modified Truss Head- Zinc



- Zinc Plated
- Self Piercing Point

Item ID	Size
88371	8 X 1/2



# Tapping/Sheet Metal Screws

## Slotted Hex Washer Head- Zinc



- Zinc Plated

Dia	Hex Size	Dia	Hex Size
#6	1/4	#12	5/16
#8	1/4	#14	3/8
#10	5/16		

Length	#6	#8	#10	#12	#14
3/8		83009	83019		
1/2	83001	83010	83020	83030	83040
5/8	83002	83011	83021	83031	
3/4	83003	83012	83022	83032	83042
1	83005	83014	83024	83034	83044
1-1/4		83015	83025	83035	83045
1-1/2	83007	83016	83026	83036	83046
2		83017	83027	83037	83047

## Unslotted Hex Washer Head- Zinc



- Zinc Plated

Dia	Hex Size	Dia	Hex Size
#8	1/4	#14	3/8
#10	5/16	5/16	7/16
#12	5/16		

Length	#8	#10	#12	#14	5/16
1/2	83060	83070	83080	83090	
3/4	83062	83072	83082	83092	83100
1	83064	83074	83084	83094	83102
1-1/4	83065	83075	83085	83095	83103
1-1/2	83066	83076	83086	83096	83104

## Hex Head- Zinc



- Zinc Plated

Dia	Hex Size
1/4	3/8-7/16
5/16	1/2
3/8	9/16

Length	1/4	5/16	3/8
1/2	82950		
3/4	82952	82965	82980
1	82954	82967	82982
1-1/4	82955	82968	82983
1-1/2	82956	82969	82984
2	82958	82971	82986

## Self-Piercing Slotted Indented Hex Washer Head- Zinc



- Zinc Plated
- Self Piercing Point

Item ID	Size	Hex Size
88381	7 X 1/2	1/4

# Tapping/Sheet Metal Screws

## Phillips Oval Head Sems Countersunk Washer- Chrome



- Chrome
- #8 screws have #6 head size
- 1/2" Washer OD
- #10 screws have #8 head size
- 15/32" Washer OD

Diameter	#8	#10
5/8	82710	
3/4	82711	82720
1	82713	82722
1-1/4		82724
1-1/2	82715	

## Phillips Oval Head Sems Countersunk Washer- Black



- Black
- #8 screws have #6 head size
- 1/2" Washer OD
- #10 screws have #8 head size
- 15/32" Washer OD

Diameter	#8	#10
5/8	82750	
3/4	82751	82760
1	82753	82762
1-1/4	82754	

## Phillips Oval Head Sems Flush Washer- Black



- Black
- #8 screws have #6 head size

Length	#8
1/2	82790
5/8	82791
11/16	82792
1	82793
1-1/4	82794

# Self Drilling Screws

## Indented Hex Washer Head- Corrosion Resistant



- Corrosion resistant protective coating  
\* 7/16 Hex Size & Serrated

Dia	Hex Size
#10	5/16
#12	5/16
#14	3/8

Length	#10	#12	#14
1/2	83225		
3/4	83226	83235	83250
1	83228	83237	83252/83253*
1-1/4	83229	83238	83254
1-1/2	83231	83239	83255
2		83241	83256
2-1/2			83258
3			83260

## Indented Hex Washer Head- Zinc



- Zinc Plated

Dia	Hex Size	Dia	Hex Size
#6	1/4	#12	5/16
#8	1/4	#14	3/8
#10	5/16		

Length	#6	#8	#10	#12	#14
1/2		83215			
3/4		83217	83226Z	83235Z	83250Z
1	83210	83219	83228Z	83237Z	83252Z
1-1/4		83221	83229Z	83238Z	
1-1/2		83223	83231Z		83255Z
2			83233		
2-1/2				83242	
4					83262

## Indented Hex Washer Head- Long Point



- Machine Thread
- Longer Point
- 5/16" Hex

Item ID	Diameter	Length	Point Size	Finish
83265	12-24	1-1/4	4.5	VistaCoat
83266	12-24	1-1/2	5	Zinc
83267	12-24	2	5	Zinc

## Indented Hex Washer Head- Bonded Sealing Washer



- With Neoprene Washer
- #3 Drill Point
- Corrosion resistant protective coating  
\*Zinc Plated

Dia	Hex Size	Dia	Hex Size
#10	5/16	#14	3/8
#12	5/16		

Length	#10	#12	#14
3/4	83314	83323	83335
7/8			83336
1	83315*	83325	83337
1-1/4		83326	83338
1-1/2		83327	83339
2		83329	
2-1/2		83331*	
3			83340

## Bonded Neoprene Washer- Galvanized



- Galvanized

Item ID	For Screw Size	Outside Diameter
83341	#8-#10	1/2
83342	#12-#14	5/8
83346	5/16	3/4
83347	3/8	3/4



# Self Drilling Screws

## Phillips Pan Head- Zinc



- Zinc Plated

Length	#6	#8	#10	#12	#14
1/2		83174	83184		
3/4	83164	83176	83188	83195	83202
1	83166	83178	83190	83196	
1-1/2		83180	83192		

## Square Pan Head- Zinc



- Zinc Plated

Item ID	Dia	Length	Bit Size
83176SQ	8	3/4	#2
83178SQ	8	1	#2
83179SQ	8	1-1/4	#2

## Phillips Oval Head- Zinc



- Zinc Plated

Item ID	Diameter	Length
83353	8	1-1/4

## Phillips Oval Head Sems Countersunk- Black



- Black
- #6 Countersunk Head

Item ID	Diameter	Length
82780	8	5/8
82781	8	3/4
82783	8	1

## Phillips Modified Truss Head



Size	Zinc	Black
#8 x 1/2	83344	51759
#8 x 3/4	83302	83304
#8 x 1	83305	83306
#8 x 1-1/4	83307	83308

## Phillips Wafer Liner- Yellow Zinc



- Yellow Zinc
- Square/Phillips Drive

Item ID	Diameter	Length
83311	#10	3/4
83312	#10	1
83313	#10	1-1/4

## Wafer Head- Zinc



- Zinc Plated

Item ID	Dia	Length	Drive Type	Bit Size
83345	10	1	Phillips	
83350	10	1	Torx	T-25
83351	10	1-1/4	Torx	T-25
83352	10	1-1/2	Torx	T-25

## Phillips Flat Head Wing



- Wings

Item ID	Diameter	Length	Finish
83397	1/4-20	2-3/4	Zinc
83398	1/4-20	3	Stalgard

# Construction Screws

## Phillips Bugle Head Deck Screw



- **Dacrotized** coating is for outdoor use for medium corrosive applications 500 hours salt spray

Size	Dacrotized	SS
6 X 1-1/4	88310	
6 X 1-5/8	88312	
8 X 2		103332
8 X 2-1/2	88318	103333
8 X 3	88320	

## Phillips Bugle Head Drywall Screw- Coarse Thread



- Black Phospahte

Length	#6	#8
1	88341	
1-1/4	88351	
1-1/2	88343	
1-5/8	88345	
2-1/2	88352	88347
3		88349

## Phillips Bugle Head Drywall Screw- Fine Thread



- Black Phospahte

Item ID	Diameter	Length
88340	6	1
88342	6	1-1/4
88346	6	2
88350	8	3

## Torx Flat Head Multi Purpose Screw



- Yellow Zinc
- Type 17 sharp point
- Not for use in treated lumber
- Used for low corrosion applications  
*88170 no type 17 point*

Item ID	Dia	Length	Bit Size
88170	8	1-1/4	T-20
88171	8	1-5/8	T-20
88172	8	2	T-20
88173	9	2-1/2	T-25
88174	9	3	T-25

## Hex Slotted Head Concrete Tapper Screw



- 5/16" Hex Head, for use in Concrete
- 3/16" Tapmarks take 5/32" Carbide Tipped Masonry Drill Bit
- 1/4" Tapmarks take 3/16" Carbide Tipped Masonry Drill Bit

Length	3/16	1/4
1-1/4	88328	88332
1-3/4	88329	88333
2-1/4	88330	88334
2-3/4		88336
3-1/4		88337

## Phillips Flat Head Concrete Tapper Screw



Length	3/16	1/4
1-1/4	88322	88325
1-3/4	88323	88326
2-1/4	88324	88327

# Thread Cutting Screws

## Hex Head Washer- Zinc



- Zinc
- Type F Point

Lgth	6-32	8-32	10-24	12-24	1/4-20	5/16-18	3/8-16
1/4	83415						
3/8		83429	83439				
1/2	83417	83430	83440	83450	83460	83470	
5/8					83461		
3/4	83419	83432	83442	83452	83462	83472	83480
1	83421	83434	83444	83454	83464	83474	83482
1-1/4					83465	83475	83483
1-1/2							83484

## Phillips Pan Head- Zinc



- Zinc
- Type F Point

Item ID	Diameter	Length
83497	8-32	1/4
83498	8-32	3/8
83499	8-32	1/2
83610	10-24	1
83611	10-24	1-1/4
83612	10-24	1-1/2

## Slotted Pan Head- Zinc



- Zinc
- Type F Point

Length	6-32	8-32	10-24	1/4-20
1/4	83485			
1/2	83486	83489	83491	
3/4		83490	83492	83494
1	83488		83493	83495

## Torx Flat Head- Black



Drill Size for 1/4-20 Screws: **7/32"** T-30 Bit  
 Drill Size for 5/16-18 Screws: **9/32** T-40 Bit

Length	1/4-20	5/16-18
1	88509	
1-1/4	88510	88534
1-1/2	88511	
2	88513	88536
2-1/4	88514	
2-1/2	88515	88538
3	88517	88540
3-1/2	88519	
4	88521	
4-1/2	88522	
5	88523	
6	88525	

## Torx Pan Head- Zinc



Drill Size for 1/4-20 Screws: **7/32"** T-30 Bit  
 Drill Size for 5/16-18 Screws: **9/32** T-40 Bit

Length	1/4-20	5/16-18
1	88548	88559
1-1/2	88550	
1-1/4		88560
2	88554	88562
2-1/2		88564

## Torx Truss Head- Zinc



- Zinc
- Type AB Point

Item ID	Diameter	Length	Torx Size
88584	1/4	1-1/2	T-30
88588	1/4	2	T-30
88594	1/4	2-1/2	T-30

# Machine Screws

## Phillips Pan Head- Zinc



- Zinc

Lgth	6-32	8-32	10-24	10-32	12-24	1/4-20	5/16-18
1/4	85601	85611		85651			
3/8	85602	85613	85640	85652		85728	
1/2	85605	85615	85641	85653	85665	85729	
5/8		85616					
3/4	85607	85617	85643	85654	85669	85731	85740
1	85608	85619	85645	85655	85670	85733	85743
1-1/4	85609	85620	85646		85672	85735	
1-1/2	85610	85621	85647	85657	85673	85736	85746
2	85612	85622	85649	85659	85675	85737	
2-1/2	85614	85623	85648	85660		85738	
3	85618	85624	85650	85661		85739	
3-1/2						85741	
4		85625	85656	85662		85742	

## Phillips Pan Head- SS 18-8



- Stainless Steel

Length	4-40	6-32	8-32	10-24	10-32	1/4-20
1/4	103664	103671	103684		103701	
3/8	103666	103673		103702		
1/2	103667	103675	103688	103703	103718	103740
3/4	103668	103677	103690	103704	103719	103741
1	103669	103679	103692	103705	103720	103742
1-1/4			103693	103706	103721	103743
1-1/2			103694	103707	103722	103744
2				103709		103746

## Slotted Pan Head- Zinc



- Zinc

Length	4-40	6-32	8-32	10-24	10-32	1/4-20
1/8	85371					
3/16			85410			
1/4	85372	85382	85411	85441	85471	
3/8	85373	85384	85413	85443	85473	85482
1/2		85386	85415	85445	85475	85483
5/8		85387	85416		85476	
3/4		85388	85417	85447	85477	85484
1		85391	85419	85449	85479	85485
1-1/4		85392	85420	85450	85480	85486

## Slotted Truss Head- Zinc



- Zinc

Lgth	6-32	8-32	10-24	10-32	1/4-20	5/16-18	3/8-16
1/4		86230					
1/2			86245		86270		
5/8					86271		
3/4			86247		86272		86281
1			86248		86274	86279	86282
1-1/2			86252		86276		
2			86254	86256			
3	86225						
4	86227						

## Phillips Truss Head- Zinc



- Zinc

Length	10-24	10-32	1/4-20
1/2	86355	86365	86375
3/4	86357	86367	86376
1	86358		86377

## Phillips Truss Head- Black



- Black oxide

Length	10-32	1/4-20
1	86384	86378



# Machine Screws

## Slotted Round Head- Zinc



• Zinc

Length	2-56	3-48	4-40	5-40	6-32	8-32	10-24	10-32	12-24	1/4-20	5/16-18	3/8-16	1/2-13	Length
1/4	85002	85015	85042	85062	85082	85110	85141	85171						1/4
3/8	85003	85016	85044	85064	85084	85113	85143	85173		85228				3/8
1/2	85004	85017	85046	85066	85086	85115	85145	85175	85205	85229	85257	85280		1/2
5/8	85005		85047		85087									5/8
3/4		85019	85048	85068	85088	85117	85147	85177	85207	85231	85258	85282		3/4
1			85050		85091	85119	85149	85179	85209	85233	85260	85283		1
1-1/4					85093	85121	85151	85181	85211	85235	85262	85284		1-1/4
1-1/2					85094	85122	85152	85182	85212	85236	85263	85285		1-1/2
1-3/4								85183		85237		85286		1-3/4
2					85096	85124	85154	85184	85213	85238	85265	85287		2
2-1/4							85155			85239				2-1/4
2-1/2						85126	85156	85186		85240	85267	85288		2-1/2
2-3/4						85127								2-3/4
3					85100	85128	85158	85188		85242	85269	85289		3
3-1/2							85160			85244	85270	85290		3-1/2
4					85102		85161			85245	85271	85291	85310	4
5							85164			85247	85273	85293		5
6							85167			85249	85275	85295	85314	6

## Slotted Round Head- SS 18-8



• Stainless Steel

Length	4-40	6-32	8-32	10-24	10-32	1/4-20	Length
1/8							1/8
1/4	103360		103385				1/4
3/8		103373	103386	103400			3/8
1/2	103362	103375	103388	103402	103404	103440	1/2
3/4	103364	103377	103390	103408	103409	103441	3/4
7/8			103391				7/8
1	103366	103379	103392	103412	103413	103442	1
1-1/4		103380	103393	103414		103443	1-1/4
1-1/2		103381	103394	103416	103417	103444	1-1/2
2		103383	103396		103421		2

# Machine Screws

## Phillips Flat Head- Zinc



• Zinc

Length	6-32	8-32	10-24	10-32	1/4-20	Length
1/4	86601	86611				1/4
3/8		86613				3/8
1/2		86615	86653	86675		1/2
5/8		86616				5/8
3/4		86617	86654	86677	86731	3/4
1	86605	86619	86655	86679	86733	1
1-1/4			86656		86735	1-1/4
1-1/2			86657	86682	86736	1-1/2

## Slotted Flat Head- Zinc



• Zinc

Lgth	6-32	8-32	10-24	10-32	12-24	1/4-20	5/16-18	3/8-16	1/2-13	5/8-11	Lgth
1/4	85883	85912		85972							1/4
3/8	85884	85913		85973							3/8
1/2	85886	85915	85945	85975	85990	86029	86056	86080			1/2
3/4	85888	85917	85947	85977	85992	86031	86058	86083			3/4
1	85891	85919	85949	85979	85993	86036	86060	86084	86102	86123	1
1-1/4		85921	85951	85981	85994	86037	86061		86103		1-1/4
1-1/2	85893	85922	85952	85982		86038	86063	86086	86104	86125	1-1/2
1-3/4									86105		1-3/4
2	85894		85953			86040	86065	86088	86106	86127	2
2-1/2						86042	86067	86090	86108		2-1/2
3						86043	86069	86092	86110		3
3-1/2						86045					3-1/2
4							86071				4

# Machine Screws

## Phillips Oval Head- Zinc



• Zinc

Length	6-32	8-32	10-24	10-32	12-24	1/4-20
3/8		86410				
1/2	86386	86411	86445	86475	86505	86530
5/8		86416				
3/4	86388	86417	86447	86477	86507	86531
1	86391	86419	86449	86479	86509	86533
1-1/4	83692			86480		86534
1-1/2		86422	86451		86511	86535
2					86512	

## Thumb Screws Type P- Zinc



• Zinc

Length	10-24	1/4-20	3/8-16
1/2	86930	86940	
3/4	86933	86942	
1	86395	86944	86975
1-1/4		86945	
1-1/2		86946	86977
2			86980

## Slotted Oval Head- Zinc



• Zinc

Length	8-32	10-32	1/4-20
1/2	86540	86548	
5/8	86541		
3/4	86542	86549	86554
1			86555
1-1/2	86545	86550	
2	86547	86552	

## Thumb Screws Type S- Zinc



• Zinc

Length	6-32	8-32	10-32	1/4-20	5/16-18	3/8-16
1/2	86800	86815	86822	86830		
3/4	86803	86818	86824		86850	
1			86286	86838	86852	86860
1-1/2					86854	86864

## Hex Head- Zinc



• Zinc

Lgth	8-32	10-24	10-32
1/2	84089	84094	84093
3/4	84090	84096	84095
1	84091	84098	84097
1-1/4	84092		84099
1-1/2		84102	84100

## Misc Hardware

### Flat Washers SAE- Zinc



- Zinc

Dia	Part #
#2	94999
#4	95000
#6	95001
#8	95003
#10	95005
#12	95007
1/4	95009

### Lag Screws- Zinc



- Zinc

Length	1/4	5/16	3/8	1/2
1	88206	88223	88243	
1-1/2	88208	88224	88244	
2	88210	88225	88245	88267
2-1/2	88212	88227	88247	88269
3	88214	88229	88249	88270
3-1/2	88216	88231	88251	88273
4	88218	88233	88253	88273
4-1/2	88219	88234	88254	88275
5	88220	88237	88257	88277
6			88259	88281
8			88266	
10				88286
12				88288

### Nuts- Zinc



- Zinc

Dia	Machine Nuts	Keps Nuts
2-56	87002	
3-48	87004	
4-40	87009	
5-40	87011	
6-32	87012	94750
8-32	87014	94752
10-24	87016	94754
10-32	87017	94755
12-24	87018	
1/4-20	94500	94756
1/4-28		94757
5/16-18		94758
5/16-24		94759
3/8-16		94760
3/8-24		94761

### Lag Shields



Dia	Short	Min Emb	Long	Min Emb	Drill Dia
1/4	88300	1	88301	1-1/2	1/2
5/16	88302	1-1/4	88303	1-3/4	1/2
3/8	88304	1-3/4	88305	2-1/2	5/8
1/2	88306	2	88307	3	3/4



# Wood Screws

## Phillips Flat Head- Zinc



- Zinc

Length	#6	#8	#10	#12	#14
1/2	88100	88103			
5/8		88125			
3/4	88101	88104	88112		
1	88102	88105	88113	88119	
1-1/4	88097	88106	88114		88122
1-1/2	88098	88107	88115	88120	88123
1-3/4		88108			
2	88099	88109	88116	88121	88124
2-1/2		88110	88117		
3		88111	88118		
3-1/2			88126		
4				88127	

## Slotted Round Head- Zinc



- Zinc

Length	#6	#8	#10	#12	#14
1/2			88137		
5/8		88133			
3/4	88131				
1			88138		88144
1-1/2			88139	88143	88146
2		88134	88140		88148
2-1/2	88132	88135	88141		88150
3		88136	88142		88152

## Slotted Flat Head- Zinc



- Zinc

Length	#5	#6	#7	#8	#10	#12	#14
1/2	88004	88000		88009			
3/4	88005	88001	88002	88010	88020	88030	
1	88006		88003	88012	88022	88032	88044
1-1/4				88013	88023		88045
1-1/2				88014	88024	88034	88046
2				88016	88026	88036	88048
2-1/2					88029	88038	88050
3							88052

## Accessories

### Phillips Bits- 1/4 Hex Shank



- 1/4 Hex Shank
- Qryptonite is engineered for hardness and hard protective plating for impact tools
- \*Apex Brand

Point Size	Length	Shank Size	Reg #	Qryptonite #
P1	1	1/4	83510	
P2	1	1/4	83511	83511Q
P3	1	1/4	83512	83512Q
P2	1-15/16	1/4	83519	83519Q
P3	1-15/16	1/4	83520	83520Q
P2	6	1/4	83524	83524Q
P2	6	1/4	83525*	

### Slotted Bits- 1/4 Hex Shank



- 1/4 Hex Shank

Item ID	Point Size	Length
83516	#10	1
83515	10-12	1-1/2
83526	10-12	6

### Square Bits- 1/4 Hex Shank



- 1/4 Hex Shank

Item ID	Point Size	Length
88164	2	1
88641	1	1-15/16
88642	2	1-15/16
88643	3	1-15/16
88654	2	6

### Star (Torx) Bits



Item ID	Point Size	Length	Shank Size
88599	T10	1	1/4
88600	T15	1	1/4
88601	T20	1	1/4
88602	T25	1	1/4
88604	T27	1	1/4
88608	T30	1	1/4
88610	T40	1	1/4
88612	T40	1-1/4	5/16
88614	T45	1-1/4	5/16
88616	T50	1-1/4	5/16
88617	T55	1-1/4	5/16

### Star (Torx) Tamper Resistant Insert Bits



- 1/4 Hex Shank
- Star tamper resistant / Pin torx

Item ID	Point Size	Length	Shank Size
88670	T10	1	1/4
88671	T15	1	1/4
88672	T20	1	1/4
88673	T25	1	1/4

### Spanner Insert Bits



Item ID	Point Size	Length	Shank Size
88660	8	1	1/4
88661	10	1	1/4
88663	1/4	1-1/2	5/16

### Double End Phillips & Slotted Bit- 1/4 Hex Shank



Item ID	Point Size	Length
83555	2-4	1-1/2

## Accessories

### Magnetic Nutsetters- 1/4 Hex Drive



- 1/4 Hex Shank
- Qryptonite is engineered for hardness and hard protective plating for impact tools

Length	Hex Dia	Reg #	Qryptonite #
1-5/8	1/4	83500	83500Q
1-5/8	5/16	83501	83501Q
1-3/4	3/8	83502	83502Q
1-3/4	7/16	83503	
2-9/16	1/4	83505	83505Q
2-9/16	5/16	83506	83506Q
2-9/16	3/8	83507	83507Q
2-9/16	7/16	83508	

### Magnetic Bit Holder- 1/4 Hex Drive



- 1/4 Hex Shank

Item ID	Length	Hex Dia	Body Size
83552	2-7/8	1/4	3/8

### Quick Change Magnetic Bit Holder- 1/4 Hex Drive



- 1/4 Hex Shank

Item ID	Overall Length
83550	2-3/8

### 4 in 1 Quick Change Screwdriver



Item ID  
88680